

# For Sale / Lease

# Airbus Helicopters AS332L1 Super Puma

Serial Number:	2384
Registration:	LN-OBA
Manufacturer Date:	1992
Total Time Airframe:	21,560 hours (@ 1 <sup>st</sup> April 2022)
Total Landing Cycles:	26,312 hours (@ 1 <sup>st</sup> April 2022)
Current Location:	Svalbard, Norway

# **Highlights**

- Fully offshore configured
- EU Ops compliant
- De-iced Main and Tail Rotor Blades and Stabilizer
- 18 passenger seats with 4 point harnesses
- Search & Rescue options available
- Last Major Inspection (7,500 hr / 12 year) at 19,859 hours Total Time (17<sup>th</sup> March 2014)

# Equipment

Crashworthy design fuselage in both cockpit and cabin Semi-monocoque tail boom including tail rotor protection and stabilizer Upper part of fuselage used as transmission deck Flotation gear fitted to lower part of fuselage Installation of crashworthy tanks Engine cowlings serving as a work platform (open position) Retractable tricycle landing gear Footsteps for climbing to the transmission deck, cockpit and cabin Built-in jacking and towing points Provisions for attaching griping points 8.6 tonne re-enforcement - installed at production of aircraft

# For further information, contact H-LEASE:

Tel: +44 (0) 7990 762299

Email sales@hlease.co.uk

Web: www.hlease.co.uk



#### AS332L1 Super Puma S/N 2384 continued

Painted landing gear area Painted emergency flotation gear interior sponson Painted transmission deck Fixed provisions for hoist Moisture resistant interior paint Enlarged luggage hold – volume 2.2 m3 Emergency flotation gear 2 Life rafts in offshore sponsons - RFD Heliraft Auto pilot command transfer

### **Powerplant**

2 TURBOMECA MAKILA 1A1 turbine engines
2 Extended exhaust pipes - Mod. TU 54
Composite engine cowlings
Fuel system - 2,020 litres (535 US gal.) usable capacity comprising: 7 tanks arranged in 2 groups, 4
booster pumps (Parker cartridge type Bristow mod), 1 transfer pump
Provisions for ferrying and external tanks
2 Engine bay fire detection systems
Two-cylinder selective fire-extinguishing system
Engine air intakes including grids and heating mats
2 Engine flushing devices without opening of cowlings - Eurocopter type
N.G. limiter for training, fixed parts only
Single point pressure refuelling
2 Fuel anti-icing installations - Filter -45 degrees compatible
Removal of left and right hand heatshield on sliding cowling - Bristow mod

### **Cockpit**

2 airline type pilot seats including safety belts and extendable shoulder harnesses Duplicated flying controls Engine controls Master cut-off switches Rotor brake control Landing gear control Wheel brakes only at pilot station – Bristow mod

### For further information, contact H-LEASE:

Tel: +44 (0) 7990 762299

Email sales@hlease.co.uk

Web: www.hlease.co.uk



#### AS332L1 Super Puma S/N 2384 continued

Flight Manual Ashtray Hand fire extinguisher - BA51015SR3 Hand pump handle for emergency use of landing gear De-iced pilot and co-pilot windshield Adjustable front ventilation system Heating and ventilation diffusers Windshield demisting diffusers 2 Adjustable heating and ventilation outlets Manual cock for selective windshield demisting Pilot and co-pilot windshield wipers 2 Jettisonable pilots' doors with door-stops 2 Pilot doors with large windows in lower half Access to cabin through partitioning curtain - aft of cockpit aisle 2 Map holders including lighting on glareshield Over-sea flight kit comprising:

- Sea Anchor provisions only
- External evacuation lights
- 2 Fixed landing lights in the sponson
- Forward search / landing light
- Cockpit control for jettison of cabin doors
- Windshield washer

5-door position indicator

Left and right hand mirrors - Bristow mod - only pilot side

#### **Instruments**

- 2 Airspeed indicators 44090-3941-04 (kts)
- 2 Rate-of-climb indicators 46700-01 (ft/m)
- 2 Altimeters 3A61-22-20F28 (ft)
- 2 Stop watches B189453228-1A1
- 3 Gyro-horizons 2 ea H140 // 1 ea H321ABM1
- 1 Pitch indicator 64905-006-1 (Degrees)
- 1 Stand-by magnetic compass 621-396-231
- 2 SFIM CG 130 gyro compasses associated with 2 Astronautic 5" HSI/RMI
- 1 Thermometer, OAT 3057-165-2 (°C)
- 2 Torquemeter indicators 126PN01Y07 (%)

### For further information, contact H-LEASE:

Tel: +44 (0) 7990 762299 Email sales@hlease.co.uk

Web: www.hlease.co.uk



### AS332L1 Super Puma S/N 2384 continued

2 Fuel pressure indicators - 64809-433-1 (PSI) 2 Hydraulic pressure indicators - 64809-416-1 (PSI) 1 Auxiliary electropump hydraulic pressure indicator - 64809-418-1 (PSI) 1 MGB oil pressure indicator - 64809-431-1 (PSI) 1 MGB oil temperature indicator - 64807-412-1 (°C) 1 MGB stand-by circuit pressure indicator - 64809-426-1 (PSI) 1 IGB oil temperature indicator - 64807-411-1 (°C) 1 TGB oil temperature - 64807-410-1 (°C) 2 Exhaust temperature indicators - 61533-107-1 (°C) 2 Gas generator tachometers - 64975-003-1 2 Dual engine oil pressure and temperature indicators - 5617-352-91-11 (PSI, °C) 1 Self contained rotor tachometer - 64975-003-1 1 Rotor and free turbines 1 and 2 triple tachometer - 61474-108-2 1 Warning panel 1 Autopilot control box 1 Fuel circuit control and monitoring panel 2 Fuel gauges 1 Dual DC indicator 1 Dual AC indicator 1 Engine starting panel

1 Landing gear position control and monitoring panel

1 Ice Detector – Rosemount

2 Heated pitot heads

1 AFDS (automatic float deployment system) - Bristow mod

1 AVAD system (surface proximity voice warning system) – Bristow mod

# Radio Com / Nav Equipment

Two pilot IFR kit including:

- 2 VOR/ILS Collins VIR 32
- 2 VHF/AM VHF Collins VHF 22
- 1 ADF Collins ADF 60A
- 1 Transponder Collins TDR 90
- 1 Radio altimeter TRT AHV 8, 2 ea ind. 021
- 1 Encoding altimeter 066-3051-00
- ICS system (3 control boxes) TB 31

For further information, contact H-LEASE:

Tel: +44 (0) 7990 762299 Email sales@hlease.co.uk

Web: www.hlease.co.uk



### AS332L1 Super Puma S/N 2384 continued

- 1 DME Collins DME 42
- 1 VHF/FM radio Technisonics TFM-138B
- 1 Homer VHF/AM Chelton System 7
- 1 Nav. System GPS Trimble 2101 I/O
- 1 Flight director coupler Sfim CDV 85 P3 with heading select
- 1 Public address system including 12 speakers Collins 346 D2 B
- 1 Weather radar Bendix 500C
- 1 Emergency locator transmitter HR Smith System 503
- 1 Flight data recorder / Cockpit voice recorder and IHUMS Penny & Giles 900/D51506
- 1 M-ADS Flight Tracking (Inmarsat) Kongsberg (Racal STR 1000 Satcom)
- 1 IFE system CD player Avionics AI CD
  - Wireless IR system or Wired system with double break-points Bristow system
  - 18 passenger headsets

### <u>Cabin</u>

2 Portable emergency beacons in Liferafts - HR Smith 500-12Y

18 Passenger lifevests

1 First aid kit - JAR-OPS 3 compliant

- 15 Cargo tie-down rings fitted in floor panels
- 2 Jettisonable sliding plug doors emergency release from cockpit
- 12 Windows including two for emergency exit
- 1 Hand fire-extinguisher BA51015SR3
- 1 Heating system comprising:
  - 4 bottom outlets for mixed air adjustable for flow

Cabin interior with sound-proofing (noise < 87 db) – Eurocopter VIP Ventilation system comprising:

- 19 upper gaspers for fresh air adjustable for direction and flow
- 4 ducted fresh air intakes
- 2 outlets for evacuation of stale air
- 1 Stale air fan on left hand side of 3 seat bench

18 Comfort passenger seats - Sigma with 4 point AmSafe harnesses

Seat-rails for 18 seats

Stowage space for airborne kit

Left and right side long entrance step (extended) – Norsk mod

Carpets on cabin floor

### For further information, contact H-LEASE:

Tel: +44 (0) 7990 762299

Email sales@hlease.co.uk

Web: www.hlease.co.uk



#### AS332L1 Super Puma S/N 2384 continued

### **Transmission System**

Main gearbox on flexible mountings comprising:

- chip detector including warning light in cockpit
- oil sight gauge
- oil temperature and pressure sensors
- torquemeter pick-ups

Intermediate gearbox comprising:

- magnetic plug
- oil sight gauge
- temperature sensor

Tail gearbox comprising:

- magnetic plug
- oil sight gauge
- temperature sensor

Main gearbox oil cooling system Rotor brake

### **Rotor and Flying Controls**

Main rotor with 4 composite blades including flap and droop stops - De-icing blades Anti-torque tail rotor with 5 composite blades - De-iced Elving control system comprising:

Flying control system comprising:

- 4 dual-body servo-units with 2 chambers per body Duplex autopilot system comprising:

- 2 SFIM GV 76-1 vertical gyro units
- 1 baroanemometric module

### **Electrical Installations**

2 Generators, 30/40 KVA, 115/200V, 400 Hz - Auxilec (de-icing capacity) 43 amp. -hr cadmium-nickel battery - 40208-1 2 x 150 amp. transformer-rectifiers - 684-109-200 Standby battery- EE0005-0111 2 x 26V, 400 Hz transformers

### For further information, contact H-LEASE:

Tel: +44 (0) 7990 762299

Email sales@hlease.co.uk

Web: www.hlease.co.uk



### AS332L1 Super Puma S/N 2384 continued

Cockpit lighting system including:

- white / blue pedestal instrument and overhead panel lighting (normal / stand-by)
- red or white general lighting
- 1 x red and white extension light
- 2 x white map lights

Cabin lighting system comprising:

- 2 lighting stripes with dim and bright possibilities
- 2 "Emergency Exit" lights
- "No Smoking" light
- "Fasten Seat Belts" light
- "HEEL" light on all windows and emergency exits

6 Receptacles for ancillaries (28 V, 15 amp)

- 1 Receptacle for ancillaries (28 V, 25 amp)
- 2 External power receptacles (AC and DC)
- 1 600W landing light in nose
- 3 Position lights in offshore sponson
- Anti-collision light MS25277-1
- Anti collision beacon Bristow mod/COMP1403-009

# **Ancillaries**

Independent hydraulic system

- 2 Hydraulic ground couplings
- DC auxiliary electropump on stand-by
- Stand-by hydraulic system with hand pump for lowering the landing gear

# Search & Rescue related options (Available on Request)

Rescue Hoist - 50 M fixed speed, fixed parts FLIR Structural provisions NightSun SX 16 Search light - Full installation VHF/FM radio - Technisonics TFM-138B Homer VHF/AM - Chelton System 7 NVG Installation, LN-OBA compatible, Bristow Norway AS EASA STC – Airlift STC full installation De-icing installation for Main Rotor Blades, Tail Rotor and Stabilizer – Eurocopter full installation

### For further information, contact H-LEASE:

Tel: +44 (0) 7990 762299 Em

Email sales@hlease.co.uk

Web: www.hlease.co.uk